




ZENITTOOLS USA, Inc.

Price effective September 1st 2026, through October 31st 2026

			LAY DOWN INSERTS (PAG. #7)		ZIGGPR new internal boring bar (pag.7)
			(PAGE # 6)		F4TW ALTIN PAGE # 10
SPTC-SS TAPS  (PAG # 9)					
		910 CHAMFER CUTTERS 45-60-81 Degrees PAGE # 3		 937 ADMX 11T3 PAGE # 2	
		FACE GROOVING TOOLHOLDERS PAGE # 5		 	

937.07

INDEXABLE CYLINDRICAL END MILL FOR SHOULDER MILLING OPERATION

CODE	D	d	T	L	l1	INSERT	PROMO
937.05.07.3.i	0.500	0.500	3	3.543	0.709	ADMX 07	\$ 129.00

937

INDEXABLE CYLINDRICAL END MILL FOR SHOULDER MILLING OPERATION

CODE	D	d	T	L	l1	INSERT	PROMO
937.06.s.i	0.625	0.625	2	3.250	1.063	ADMX ADEX 11T3..	\$ 99.00
937.06.w.i	0.625	0.625	2	3.250	1.063		\$ 99.00
937.06.i	0.625	0.625	2	5.315	1.969		\$ 99.00
937.07.w.i	0.750	0.750	2	4.000	1.260		\$ 109.00
937.07.i	0.750	0.750	2	5.906	2.756		\$ 109.00
937.07.1.w.i	0.750	0.750	3	4.000	1.260		\$ 119.00
937.07.1.i	0.750	0.750	3	5.906	1.142		\$ 119.00
937.10.w.i	1.000	1.000	3	4.500	1.280		\$ 139.00
937.10.i	1.000	1.000	3	6.693	3.150		\$ 139.00
937.10.1.w.i	1.000	1.000	4	4.500	1.280		\$ 149.00
937.10.1.i	1.000	1.000	4	6.693	1.339		\$ 149.00
937.12.w.i	1.250	1.250	4	4.000	1.500		\$ 179.00
937.12.i	1.250	1.250	3	7.677	3.543		\$ 179.00

937SM

INDEXABLE SHELL MILL FOR SHOULDER MILLING OPERATION

CODE	D	T	B	H	L	INSERT	PROMO
937SM.15.4.i	1.500	4	.750	1.570	.193	AD..11T3..	\$ 199.00
937SM.20.5.i	2.000	5	.750	1.570	.193	AD..11T3..	\$ 219.00
937SM.25.6.i	2.500	6	.750	1.570	.193	AD..11T3..	\$ 239.00

ADMX - ADEX 07/11

Milling carbide inserts with different corner radius

CORNER RADIUS	0.008"	0.016"	0.032"	0.040"	0.048"	0.064"	0.080"	0.100"	0.120"	PROMO PRICE
INSERT CODE	..02	..04	..08	..10	..12	..16	..20	..25	..30	
ADMX 0702.. Z6P	•	•	•			•				\$ 11.90
ADEX 0702.. ZKX	•	•								\$ 12.90
ADMX 11T3.. Z6P	•	•	•	•	•	•	•	•	•	\$ 12.90
ADEX 11T3.. ZKX		•	•	•	•					\$ 13.90

• AVAILABLE




ADEX




ADMX

MILLING CUTTERS



CYLINDRICAL SHANK (.i)



WELDON SHANK (.w)




CHAMFER CUTTER**910 - 45°****CHAMFER AND COUNTERSINKING CUTTER 45°. MOUNTS TCMT INSERTS**


CODE	D	C	T	L	H	α	INSERT	PROMO
910.04.i	.047	.500	1	3.000	1.000	45°	TC.. 21.51	\$ 75
910.24.i	.244	.625	2	3.000	1.000	45°	TC.. 21.51	\$ 90
910.40.i	.409	1.000	2	4.000	1.570	45°	TC.. 32.52	\$ 110


**910 - 60°****CHAMFER AND COUNTERSINKING CUTTER 60°. MOUNTS TCMT INSERTS**


CODE	D	C	T	L	H	α	INSERT	PROMO
910.21.i	.212	.500	1	3.000	1.000	60°	TC.. 21.51	\$ 75
910.56.i	.567	.625	2	3.000	1.000	60°	TC.. 21.51	\$ 90
910.66.i	.669	1.000	2	4.000	1.570	60°	TC.. 32.52	\$ 110

**910 - 41°****CHAMFER AND COUNTERSINKING CUTTER 41°. MOUNTS TCMT INSERTS**

CODE	D	C	T	L	H	α	INSERT	PROMO
910.10.i	.109	.500	1	3.000	1.000	41°	TC.. 21.51	\$ 75
910.43.i	.435	.625	2	3.000	1.000	41°	TC.. 21.51	\$ 90
910.60.i	.609	1.000	2	4.000	1.570	41°	TC.. 32.52	\$ 110

**TCMT.UR**

	TCMT.UR							CONDITIONS OF USE		
	CHARACTERISTICS		APPLICATION (● excellent; ○ adapt)							
	COATING	GRADE	P Steel	M Stainless Steel	K Cast Iron	N Nonferrous	S Super Alloy	 	R=ROUGHING M=MEDIUM F=FINISHING	PROMO PRICE
TCMT.UR 21.51 Z5P	TIALN PVD	P30-M35	●	●			○	YES	F/M	\$ 9.90
TCMT.UR 32.52 Z5P	TIALN PVD	P30-M35	●	●			○	YES	F/M	\$ 10.90



CUT-OFF



THGPL / R

DEEPER PARTING-OFF AND GROOVING TOOL HOLDER WITH GPN INSERTS


THGPL LEFT HAND	THGPR RIGHT HAND	S	A	L	L1	D	INSERT SIZE	PROMO PRICE
THGPL 08-2A	THGPR 08-2A	.079	.500	4.000	.470	1.570	GP_ 2..	\$ 139.00
THGPL 10-2C	THGPR 10-2C	.079	.625	5.000	.630	1.780	GP_ 2..	\$ 139.00
THGPL 12-2S	THGPR 12-2S	.079	.750	5.000	.390	0.780	GP_ 2..	\$ 149.00
THGPL 12-2C	THGPR 12-2C	.079	.750	5.000	.630	3.150	GP_ 2..	\$ 149.00
THGPL 12-2D	THGPR 12-2D	.079	.750	5.000	.790	3.150	GP_ 2..	\$ 149.00
THGPL 16-2S	THGPR 16-2S	.079	1.000	6.000	.390	0.780	GP_ 2..	\$ 159.00
THGPL 16-2D	THGPR 16-2D	.079	1.000	6.000	.790	3.150	GP_ 2..	\$ 159.00
THGPL 16-2E	THGPR 16-2E	.079	1.000	6.000	.940	3.150	GP_ 2..	\$ 159.00
THGPL 08-3A	THGPR 08-3A	.118	.500	4.000	.470	1.570	GP_ 3..	\$ 139.00
THGPL 10-3C	THGPR 10-3C	.118	.625	5.000	.630	1.780	GP_ 3..	\$ 139.00
THGPL 12-3S	THGPR 12-3S	.118	.750	5.000	.390	0.780	GP_ 3..	\$ 149.00
THGPL 12-3C	THGPR 12-3C	.118	.750	5.000	.790	3.150	GP_ 3..	\$ 149.00
THGPL 12-3D	THGPR 12-3D	.118	.750	5.000	.940	3.150	GP_ 3..	\$ 149.00
THGPL 16-3S	THGPR 16-3S	.118	1.000	6.000	.390	0.780	GP_ 3..	\$ 159.00
THGPL 16-3D	THGPR 16-3D	.118	1.000	6.000	.790	3.150	GP_ 3..	\$ 159.00
THGPL 16-3E	THGPR 16-3E	.118	1.000	7.000	1.260	3.150	GP_ 3..	\$ 159.00
THGPL 16-4D	THGPR 16-4D	.157	1.000	6.000	.790	3.150	GP_ 4..	\$ 159.00
THGPL 16-4E	THGPR 16-4E	.157	1.000	7.000	1.260	3.150	GP_ 4..	\$ 159.00
THGPL 16-5D	THGPR 16-5D	.197	1.000	6.000	.790	3.150	GP_ 5..	\$ 159.00
THGPL 16-5E	THGPR 16-5E	.197	1.000	7.000	1.260	3.150	GP_ 5..	\$ 159.00
THGPL 16-6D	THGPR 16-6D	.236	1.000	6.000	.790	3.150	GP_ 6..	\$ 159.00
THGPL 16-6E	THGPR 16-6E	.236	1.000	7.000	1.260	3.150	GP_ 6..	\$ 159.00



GPH

Deeper parting-off and grooving blade with GPN. Inserts

CODE 26	CODE 32	CW	INSERT SIZE	PROMO PRICE
GPH 26-1	GPH 32-1	.059	GP_ 1..	\$ 149.00
GPH 26-2	GPH 32-2	.079	GP_ 2..	
GPH 26-3	GPH 32-3	.118	GP_ 3..	
-	GPH 32-4	.157	GP_ 4..	
-	GPH 32-5	.197	GP_ 5..	
-	GPH 32-6	.236	GP_ 6..	





FACE GROOVING

FGHPR / L

NEW AXIAL FACE GROOVING TOOL HOLDER FOR GPN INSERTS.
AVAILABLE RIGHT AND LEFT HAND, 1" SHANK, 1/8" THICKNESS.

FGHPR / L	CW	B=H	LF	CDX	D.MIN	D.MAX	INSERT SIZE	PROMO PRICE
FGHPR(L) 16-3D R2.20-1.55	.118	1.000	6.000	1.000	1.550	2.200	GP_3..	\$ 169.00
FGHPR(L) 16-3D R3.15-2.00	.118	1.000	6.000	1.000	2.000	3.150		
FGHPR(L) 16-3D R4.30-3.00	.118	1.000	6.000	1.000	3.000	4.330		
FGHPR(L) 16-3D R7.70-4.15	.118	1.000	6.000	1.000	4.150	7.700		
FGHPR(L) 16-3D R19.70-7.30	.118	1.000	6.000	1.000	7.300	19.700		




FGHPR IMAGE(RIGHT HAND)

FGGPR / L

FGGP Solid face grooving radial tool holder with 2 different shapes suitable for concentric application on small diameters.
AVAILABLE RIGHT HAND, 25mm SHANK, 3 and 4 mm THICKNESS.

FGHPR / L	CW	B=H	LF	CDX	D.MIN	D.MAX	INSERT SIZE	PROMO PRICE
FGGPR 2525-3 R044033	.118	0.984	5.906	.591	1.209	1.732	GP_3..	\$ 179.00
FGGPR 2525-3 R055040	.118	0.984	5.906	.591	1.575	2.165		
FGGPR 2525-3 R080051	.118	0.984	5.906	.787	2.008	3.150		
FGGPR 2525-3 R110076	.118	0.984	5.906	.984	2.992	4.331		
FGGPR 2525-4 R065050	.157	0.984	5.906	.787	1.969	2.559	GP_4..	\$ 189.00
FGGPR 2525-4 R095060	.157	0.984	5.906	.984	2.362	3.74		
FGGPR 2525-4 R160090	.157	0.984	5.906	.984	3.543	6.229		
FGGPR 2525-4 R400150	.157	0.984	5.906	.984	5.906	15.748		





FGGPR IMAGE(RIGHT HAND)

ZIGGPR

Solid bar for internal grooving with coolant through. Insert's pocket manufactured directly into the solid bar. Depth of cut is limited to the length of the insert to ensure great stability and precision.
It mounts GPN inserts.



CODE	D.con	D.min	CW	CDX	LF	INSERT	PROMO
A16Q ZIGGPR 2	1.000	1.500	0.079	0.400	7.250	GP_2	\$ 219.00
A16Q ZIGGPRS 3	1.000	1.250	0.118	0.250	7.250	GP_3	\$ 219.00
A16Q ZIGGPR 3	1.000	1.500	0.118	0.500	7.250	GP_3	\$ 219.00
A20S ZIGGPR 3	1.250	1.800	0.118	0.500	10.000	GP_3	\$ 249.00
A20S ZIGGPR 4	1.250	1.800	0.157	0.500	10.000	GP_4	\$ 249.00
A24S ZIGGPRS 4	1.500	2.200	0.157	0.500	12.000	GP_4	\$ 299.00
A24S ZIGGPR 4	1.500	2.450	0.157	0.800	12.000	GP_4	\$ 299.00



		GPN.M - GPN.R							GPN.M geometry with highly positive rake, first choice for parting-off, and continuous to slightly interrupted cuts.
		DIMENSIONS				CHARACTERISTIC			
GPN.M	GPN.R	S	L	R	α	COATING	GRADE	PROMO PRICE	
GPN.M 1 Z6P	-	.059	.650	.006	0°	TIN PVD	P35 - M30	\$ 22.90	
GPN.M 2 Z6P (Z5P)	GPN.R 2 Z6P (Z5P)	.079	.984	.008	0°	TIN PVD	P35 - M30	\$ 22.90	
GPN.M 2,5 Z6P	GPN.R 2,5 Z6P	.098	.984	.008	0°	TIN PVD	P35 - M30	\$ 23.90	
GPN.M 3 Z6P (Z5P)	GPN.R 3 Z6P (Z5P)	.118	.984	.008	0°	TIN PVD	P35 - M30	\$ 23.90	
GPN.M 4 Z6P (Z5P)	GPN.R 4 Z6P (Z5P)	.157	.984	.008	0°	TIN PVD	P35 - M30	\$ 24.90	
GPN.M 5 Z6P	GPN.R 5 Z6P	.197	.984	.012	0°	TIN PVD	P35 - M30	\$ 26.90	
GPN.M 6 Z6P	GPN.R 6 Z6P	.236	.984	.012	0°	TIN PVD	P35 - M30	\$ 27.90	
									GPN.R geometry

		GPL / R							first choice for difficult grooving and parting-off, and continuous to interrupted cuts
		DIMENSIONS				CARACTERISTIC		PROMO PRICE	
GPL	GPR	S	L	REL	PSIRR/L	COATING	GRADE		
GPL 1 Z6P	GPR 1 Z6P	.059	.650	.006	6°	TIN PVD	P35 - M30	\$ 23.90	
GPL 2 Z6P	GPR 2 Z6P	.079	.984	.008	6°	TIN PVD	P35 - M30	\$ 23.90	
GPL 3 Z6P	GPR 3 Z6P	.118	.984	.008	6°	TIN PVD	P35 - M30	\$ 24.90	
GPL 4 Z6P	GPR 4 Z6P	.157	.984	.008	6°	TIN PVD	P35 - M30	\$ 25.90	
GPL and GPR SUGGESTED FOR									




* AVAILABLE ALSO WITH VERSION AT 12 DEGREES CORNER RADIUS(PSIRR). FOR EXAMPLE ORDER GPL 2-12D Z6P



ZSER / L

Lay Down external holder for threading applications

CODE	A	B	C	F	INSERT	PROMO
ZSEL 12-3B	.750	.750	4.500	1.000	Z16EL-NR	\$ 75.00
ZSER 12-3B	.750	.750	4.500	1.000	Z16ER-NL	\$ 75.00
ZSEL 16-3D	1.000	1.000	6.000	1.250	Z16EL-NR	\$ 85.00
ZSER 16-3D	1.000	1.000	6.000	1.250	Z16ER-NL	\$ 85.00



LAY DOWN INSERTS

Thread lay down Inserts for internal boring bar Z6p, TIN PVD coated.


LEFT	RIGHT	PITCH	I.C.	S	PROMO PRICE
Z11NL A60 Z6P	Z11NR A60 Z6P	16-48	0.250	0.118	\$ 18.90
Z16NL A60 Z6P	Z16NR A60 Z6P	16-48	0.375	0.136	\$ 19.90
Z16NL G60 Z6P	Z16NR G60 Z6P	8-14	0.375	0.136	
Z16NL AG60 Z6P	Z16NR AG60 Z6P	8-48	0.375	0.136	
Z22NL N60 Z6P	Z22NR N60 Z6P	5-7	0.500	0.185	\$ 26.90



ZSNR / L

Lay Down internal holder for threading applications

CODE	DCON	BD	WF	LH	DMIN	INSERT	PROMO
S06H ZSNR 2	.380	.380	.280	4.000	.470	Z11N	\$ 179.00
S06K ZSNR 2	.630	.394	.293	4.291	.512	Z11N	\$ 179.00
S08M ZSNR 2	.625	.500	.350	6.000	.630	Z11N	\$ 189.00
S10M ZSNR 3	.630	.610	.417	6.299	.650	Z16N	\$ 199.00
S12P ZSNR 3	.750	-	.500	6.250	.850	Z16N	\$ 219.00
S16Q ZSNR 3	1.000	-	.650	7.250	1.150	Z16N	\$ 239.00
S20S ZSNR 3	1.250	-	1.000	10.000	1.400	Z16N	\$ 279.00
S20S ZSNR 4	1.250	-	1.000	10.000	1.450	Z22N	\$ 289.00
S24T ZSNR 4	1.500	-	1.450	12.000	1.750	Z22N	\$ 349.00



SPTC-SS

Spiral Point blue ring taps for through holes

CODE	SIZE	PROMO PRICE
SPTC-SS 4-40 BLACK	4-40	\$ 16.00
SPTC-SS 6-32 BLACK	6-32	\$ 17.00
SPTC-SS 6-40 BLACK	6-40	\$ 17.00
SPTC-SS 8-32 BLACK	8-32	\$ 18.00
SPTC-SS 10-24 BLACK	10-24	\$ 18.00
SPTC-SS 10-32 BLACK	10-32	\$ 18.00
SPTC-SS 12-24 BLACK	12-24	\$ 19.00
SPTC-SS 1/4-20 BLACK	1/4-20	\$ 20.00
SPTC-SS 1/4-28 BLACK	1/4-28	\$ 20.00
SPTC-SS 5/16-18 BLACK	5/16-18	\$ 24.00
SPTC-SS 5/16-24 BLACK	5/16-24	\$ 24.00
SPTC-SS 3/8-16 BLACK	3/8-16	\$ 25.00
SPTC-SS 3/8-24 BLACK	3/8-24	\$ 25.00
SPTC-SS 7/16-14 BLACK	7/16-14	\$ 38.00
SPTC-SS 7/16-20 BLACK	7/16-20	\$ 38.00
SPTC-SS 1/2-13 BLACK	1/2-13	\$ 42.00
SPTC-SS 1/2-20 BLACK	1/2-20	\$ 42.00
SPTC-SS 5/8-11 BLACK	5/8-11	\$ 43.00
SPTC-SS 5/8-18 BLACK	5/8-18	\$ 43.00
SPTC-SS 3/4-10 BLACK	3/4-10	\$ 61.00
SPTC-SS 3/4-16 BLACK	3/4-11	\$ 61.00
SPTC-SS 7/8-9 BLACK	7/8-9	\$ 121.00
SPTC-SS 7/8-14 BLACK	7/8-14	\$ 121.00
SPTC-SS 1- 8 BLACK	1"-8	\$ 172.00
SPTC-SS 1-12 BLACK	1"-12	\$ 172.00



BLUE RING TAPS

METRIC SIZES

CODE	SIZE	PROMO PRICE
SPTC-SS M2x0.4 BLACK	M2 X .40	\$ 37.00
SPTC-SS M2,5x0.45 BLA	M2,5 X .45	\$ 31.00
SPTC-SS M3x0.5 BLACK	M3 X .50	\$ 26.00
SPTC-SS M3.5x0.6 BLACK	M3,5 X .60	\$ 26.00
SPTC-SS M4x0.7 BLACK	M4 X .70	\$ 21.00
SPTC-SS M5x0.8 BLACK	M5 X .80	\$ 22.00
SPTC-SS M6x1 BLACK	M6 X 1.00	\$ 22.00
SPTC-SS M7x1 BLACK	M7 x 1.00	\$ 29.00
SPTC-SS M8x1.25 BLAC	M8 X 1.25	\$ 28.00
SPTC-SS M8x1 BLACK	M8 X 1,00	\$ 28.00
SPTC-SS M10x1.5 BLAC	M10 X 1.50	\$ 43.00
SPTC-SS M10x1.25 BLA	M10 X 1.25	\$ 43.00
SPTC-SS M12x1.75 BLA	M12 X 1.75	\$ 48.00
SPTC-SS M12x1.25 BLA	M12 X 1.25	\$ 48.00
SPTC-SS M14x2 BLACK	M14 X 2,00	\$ 70.00
SPTC-SS M14x1.5 BLAC	M14 X 1.50	\$ 70.00
SPTC-SS M16x2 BLACK	M16 X 2.00	\$ 84.00
SPTC-SS M16x1.5 BLAC	M16 X 1.50	\$ 84.00
SPTC-SS M18x2,5 BLAC	M18 X 2.50	\$ 102.00
SPTC-SS M18x1.5 BLAC	M18 X 1.50	\$ 102.00

BLUE RING SS

The combination of superior flute design and fine grain particle metals insures outstanding performance when tapping Stainless Steels and High carbon steel.

SFTC-SS

Spiral Flute blue ring taps for bottoming holes

CODE	SIZE	PROMO PRICE
SFTC-SS 4-40 BLACK	4-40	\$ 24.00
SFTC-SS 6-32 BLACK	6-32	\$ 23.00
SFTC-SS 8-32 BLACK	8-32	\$ 28.00
SFTC-SS 10-24 BLACK	10-24	\$ 27.00
SFTC-SS 10-32 BLACK	10-32	\$ 27.00
SFTC-SS 1/4-20 BLACK	1/4-20	\$ 28.00
SFTC-SS 1/4-28 BLACK	1/4-28	\$ 28.00
SFTC-SS 5/16-18 BLACK	5/16-18	\$ 35.00
SFTC-SS 5/16-24 BLACK	5/16-24	\$ 35.00
SFTC-SS 3/8-16 BLACK	3/8-16	\$ 42.00
SFTC-SS 3/8-24 BLACK	3/8-24	\$ 42.00
SFTC-SS 7/16-14 BLACK	7/16-14	\$ 62.00
SFTC-SS 1/2-13 BLACK	1/2-13	\$ 67.00
SFTC-SS 1/2-20 BLACK	1/2-20	\$ 67.00
SFTC-SS 5/8-11 BLACK	5/8-11	\$ 73.00
SFTC-SS 5/8-18 BLACK	5/8-18	\$ 73.00
SFTC-SS 3/4-10 BLACK	3/4-10	\$ 111.00
SFTC-SS 3/4-16 BLACK	3/4-16	\$ 111.00
SFTC-SS 7/8-9 BLACK	7/8-9	\$ 161.00
SFTC-SS 7/8-14 BLACK	7/8-14	\$ 161.00
SFTC-SS 1- 8 BLACK	1"-8	\$ 221.00
SFTC-SS 1-12 BLACK	1"-12	\$ 221.00



METRIC SIZES

CODE	SIZE	PROMO PRICE
SFTC-SS M3x0.5 BLACK	M3 X .50	\$ 32.00
SFTC-SS M3.5x0.6 BLACK	M3,5 X .60	\$ 32.00
SFTC-SS M4x0.7 BLACK	M4 X .70	\$ 32.00
SFTC-SS M5x0.8 BLACK	M5 X .80	\$ 32.00
SFTC-SS M6x1 BLACK	M6 X 1.00	\$ 32.00
SFTC-SS M7x1 BLACK	M7 X 1.00	\$ 47.00
SFTC-SS M8x1.25 BLACK	M8 X 1.00	\$ 48.00
SFTC-SS M8x1 BLACK	M10 X 1.50	\$ 48.00
SFTC-SS M10x1.5 BLACK	M10 X 1.50	\$ 71.00
SFTC-SS M10x1.25 BLACK	M10 X 1.25	\$ 71.00
SFTC-SS M12x1.75 BLACK	M12 X 1.75	\$ 79.00
SFTC-SS M12x1.25 BLACK	M12 X 1.25	\$ 79.00
SFTC-SS M14x2 BLACK	M14 X 2.00	\$ 98.00
SFTC-SS M14x1.5 BLACK	M14 X 1.50	\$ 98.00
SFTC-SS M16x2 BLACK	M16 X 2.00	\$ 125.00
SFTC-SS M16x1.5 BLACK	M16 X 1.50	\$ 125.00
SFTC-SS M18x2,5 BLACK	M18 X 2.50	\$ 191.00
SFTC-SS M18x1.5 BLACK	M18 X 1.50	\$ 191.00



Price effective September 1st till October 31st 2026

8